

200200108

THE UNIVERD SHATES OF AMERICA

TO ALL TO WHOM THESE: PRESENTS SHALL COME:

South Inkoin Agricultural Experiment Station

Highest, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FRES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING TE FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, ACCOUNTING IT, FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN DUCING A HYERID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY CONTINUED STATES SEED OF THIS VARIETY (I) SHALL BE SOLD BY VARIETY NAME ONLY AS A CERTIFIED SHED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF

4 STAT: 1542, AS AMENDED, 7 U.S.C. 2321 ET SFQ.)

WHEAT, COMMON

'Walworth'

In Testimony Thereof, I have hereunto set my hand and caused the seal of the Hant Pariety Protection Office to be affixed at the City of Washington, D.C. this sixteenth day of September, in the year two thousand two.

Merenan

Llant Variety Protection Office Signatural Marketing Service U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

Application is required in order to determine if a plant variety protection certificate is to be issued
(7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

(Instructions and information	collection burden statement	on reverse)			
1. NAME OF OWNER				2. TEMPORARY DESIGNATION OR EXPERIMENTAL NAME	3. VARIETY NAME
SOUTH DAKOTA A	GRICULTURAL E	XPERIMENT	STATIO	ł .	WALWORTH
4. ADDRESS (Street and No., or R.F.D. No.,	City, State, and ZIP Code, and Coun	try)		5. TELEPHONE (include area code)	FOR OFFICIAL USE ONLY
SOUTH DAKOTA S	TATE UNIVERSIT	ľΥ			PVPO NUMBER
AG HALL 129				605-688-4149	
BROOKINGS, SD	57007			6. FAX (Include area code)	20020010
		· · · · · · · · · · · · · · · · · · ·		605-688-6065	FILING DATE
7. IF THE OWNER NAMED IS NOT A "PERS ORGANIZATION (corporation, pertnership,	, association, etc.)	8. IF INCORPORATE STATE OF INCOR	D, GIVE IPORATION	9. DATE OF INCORPORATION	Feb. 26,2002
AGRICULTURAL EXPE			nevers Select will see	take affermant	EILING AND EVALUATION
DR. KEVIN KEPH SD AG. EXP. ST SDSU BROOKINGS, SD	ART, DIRECTOR	RAVINDE 77 WHEAT E PLANT S	RA DEWNO BREEDER SCIENCE 56, SDSU	ZA, INTERIM S. DEPT.	FILING AND EXAMINATION FEES: \$ 2,705.00 R DATE Z/216/2002 CERTIFICATION FEE: \$ 3001
					DATE 6/11/02
11. TELEPHONE (Include area code)	12. FAX (include area code)	13. E-MAI		4.	ROPKIND (Common Name) HARD RED
605-688-4769	605-688-4452	A CONTRACTOR		vkota@sdstate.e	
15. GENUS AND SPECIES NAME OF CROP TRITICUM AESTIVUM	L.	v 740	LY NAME (Botanica MINEAE	i) 17. k	STHE VARIETY A FIRST GENERATION (BRID?
18. CHECK APPROPRIATE BOX FOR EACH reverse)	ATTACHMENT SUBMITTED (Follow	instructions on	19. DOES THE O	WAIER SPECIFY THAT SEED OF THIS SEED? See Section 83(a) of the Plan	VARIETY BE SOLD AS A CLASS OF It Variety Protection Act)
a. 🔯 Exhibit A. Origin and Breeding	History of the Variety		13 Y	ES (if "yes", answer items 20 and 21 below)	NO (# "no", go to item 22)
b. Exhibit B. Statement of Distinct c. Exhibit C. Objective Description		No.			☐ YES ☑ NO
d. 🛛 Exhibit D. Additional Description		The	·	WHER SPECIFY THAT SEED OF THIS LIMITED AS TO NUMBER OF CLASSE TH CLASSES?	S? — — — — — — — — — — — — — — — — — — —
e. Exhibit E. Statement of the Bas			***************************************		
t, Voucher Sample (2,500 viable a verification that tissue culture w repository)	intrested seeds or, for tuber propagal If he deposited and maintained in an	approved public		WNER SPECIFY THAT SEED OF THIS LIMITED AS TO NUMBER OF GENERA	TIONS? YES TO NO
g. Fling and Examination Fee (\$2 States" (Mail to the Plant Variety	.705), made payable to "Tressurer of y Protection Office)	the United	IF YES, SPEC NUMBER 1,2,	3, etc.	REGISTERED CERTIFIED
				explanation is necessary, please use the	
22. HAS THE VARIETY (INCLUDING ANY HA FROM THIS VARIETY BEEN SOLD, DISP OTHER COUNTRIES?	RVESTED MATERIAL) OR A HYBRII OSED OF, TRANSFERRED, OR USE	D PRODUCED ED IN THE U.S. OR	PROPERTY R	ETY OR ANY COMPONENT OF THE VA RIGHT (PLANT BREEDER'S RIGHT OR	RIETY PROTECTED BY INTELLECTUAL PATENTY?
VES MARCH 1,2			□ Y	ES	.⊠ NO
IF YES, YOU MUST PROVIDE THE DATE FOR EACH COUNTRY AND THE CIRCU	E OF FIRST SALE, DISPOSITION, TE MSTANCES. (Please use space inch	RANSFER, OR USE caled on reverse.)	IF YES, PLEAS REFERENCE I	SE GIVE COUNTRY, DATE OF FILING (NUMBER. <i>(Please use space indicated</i>	OR ISSUANCE AND ASSIGNED on reverse.)
24. The owners declare that a viable sample of for a tuber propagated variety a tissue cult	of basic seed of the variety will be furn	ished with application an	d will be replenished	d upon request in accordance with such	regulations as may be applicable, or
The undersigned owner(s) is(sra) the ownerd and is entitled to protection under the prov	er of this secusity reproduced or tuber	roropagated plant variety			d stable as required in Section 42,
Owner(s) is(are) informed that false repret			85.		
SIGNATURE OF OWNER	X) A Ox	Clerk	SIGNATURE OF C	WNER	
NAME (Please print or type)	Jan. Oka	lech	NAME (Please prin	of or type)	
DR. KEVIN KEPHART	FOR DE KEUDL	Kinhot			
CAPACITY OR TITLE	DATE	- ::	CAPACITY OR TIT	TLE	DATE
DIRECTOR, SDAES		3-01			
S&T-470 (04-01) designed by the Plant Variety P	rotection Office with WordPerfect 6.0z	. Replaces STD-470 (0:	2-99) which is obsol	ete. (See reverse for instructions	and information collection burden statement)

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that if will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$2,705 (\$320 filing fee and \$2,385 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$320 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent. 200200108

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvp.htm

ITEM

- 18a. Give:
- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)
- 23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center-East, Beltsville, MD 20705. Telephone: (301) 504-8089. http://www.ams.usda.gov/lsg/seed/ls-sd.htm

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this collection of information is (0581-0055). The time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political ballets, sexual orientation, or marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiciape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

S&T-470 (04-01) designed by the Plant Variety Protection Office with WordPerfect 6.0s. Replaces STD-470 (02-99) which is obsolets.

EXHIBIT A. Walworth (SD3348) Origin and Breeding History of the Variety

Walworth is an F₄ derived line from the cross 'SD3116/Oxen' made at Brookings, South Dakota in 1990-91. The pedigree of SD3116 is Shield/Butte 86. The F₁ plants were grown at Yuma, Arizona during the winter (1991-1992). Individual F₂ plant selections were made at Brookings, South Dakota in 1993 and were grown at Yuma, Arizona the following winter (1993-94) as plant rows. The plant rows at Yuma were harvested as rows and used to plant F2:4 yield trials and a space planted nursery at Brookings in 1994. Based on data collected from the yield trials, individual plants were selected within the selected populations. Populations were selected based on grain yield, grain volume weight, and bread-making characteristics and individual plants were visually selected for resistance to prevalent foliar pathogens (viz. leaf rust and stem rust). Plant rows were grown in Yuma during the winter (1994-95) and F_{4:6} yield trials were conducted at Brookings in 1995. Based on the yield performance and the disease resistance, it was promoted to first year replicated yield trial in 1996 with an experimental designation of SD3348. Seed increase was conducted by the South Dakota Spring Wheat Breeding Program from 1996 through 1999. Breeders' seed was produced in 1999 and Foundation seed was produced in 2000.

Walworth was tested by the South Dakota Spring Wheat Breeding Program from 1997 through 2000 and in Crop Performance Trial (CPT) and the Uniform Regional Spring Wheat Nursery from 1998 through 2000. It was tested by the Wheat Quality Council (WQC) in 2000.

Walworth has been uniform and stable for all morphological characters during the past four generations of selfing and increase. A tall variant (5-10") was identified at a frequency of 0.056% in 1999 breeder seed and 1997 foundation seed field. Up to 0.2% variant plants may be encountered in subsequent generations.

EXHIBIT B. Walworth (SD3348) Statement of Distinctness

Walworth is most similar to the hard red spring wheat cultivars 'Oxen' and 'Russ', but differs in the following characteristics:

Grain Yield: On the average, Walworth has 2 bu/a higher grain yield than Oxen, but similar to Russ (Table 1a).

Plant Height: On the average, Walworth is 2.5 centimeters taller than Oxen and 1.5 centimeters shorter than Russ (Table 1b).

Test Weight: On the average, Walworth has one lb/bu higher test weight than Oxen but similar to Russ, when recorded directly from combine (Table 1a). **Heading**: On the average, Walworth is one day earlier than Oxen and Russ (Table 1b).

Polyacrylamide Gel Electrophoresis (PAGE): Polyacrylamide Gel Electrophoresis revealed that Walworth differs from Oxen and Russ by at least three protein-bands (Photograph 1). Arrow (a) on the photograph points to a band that is present in Walworth but absent in Oxen and Russ, while arrow (b) points to a band that is present in Russ but absent in Walworth and Oxen. Arrow (c) indicates the band present in Walworth and Russ but absent in Oxen. PAGE was conducted by Dr. Brent Turnipseed, Seed Testing Lab, South Dakota State University.

Table 1. South Dakota State University, Spring Wheat Breeding Trials Combined over Locations and Years.

a. Yield and test weight (TW)


				3. 116	test weight (TVV)						
	-	Yi	eld (bu	/a)	TW (lb/bu)						
	1997	1998	1999	2000	97-00	1997	2000	00 97-00			
	(5)	(5)	(5)	(5)	(20)	(4)	(4)	(4)	(4)	(16)	
Walworth	46.3	48.3	45.2	40.6	45.1	58.8	57.7	58.1	58.4	58.3	
Oxen	44.4	45.6	39.9	41.7	42.9	57.8	56.8	55.7	57.4	56.9	
Russ	47.2	46.5	42.6	40.7	44.3	59.5	56.6	57.3	57.9	57.9	
CV%	5.3	5.8	9.6	7.0	7.0	0.3	3.2	1.7	1.6	2.0	
LSD (5%)	. 1.7	1.8	2.7	1.9	1.0	0.1	1.5	8.0	8.0	0.5	


b. Heading and height

			D,	Heat	iu neigni						
		Hea	ding (da	ays)	Height (cm)						
	1997	1998	1999	2000	97-00	1997	1998	1999	2000	97-00	
	(4)	(4)	(4)	(4)	(16)	(4)	(4)	(4)	(4)	(16)	
Waiworth	174.2	171.7	170.3	167.2	170.8	80.9	86.4	81.8	80.3	82.4	
Oxen	174.3	171.9	171.0	168.3	171.4	78.3	83.3	78.8	79.2	79.9	
Russ	175.3	172.6	171.2	168.8	172.0	79.7	87.0	84.2	84.7	83.9	
CV%	0.3	0.3	0.4	0.6	0.4	2.2	3.3	2.0	4.0	3.0	
LSD (5%)	0.4	0.4	0.5	0.8	0.3	1.5	2.3	1.4	2.7	1.0	

N. B.: Figures in parentheses indicate the number of locations that data was collected.

Photograph 1. Acid Polyacrylamide Gel Electrophoresis (PAGE) of hard red spring wheat cultivars Walworth, Oxen, and Russ.





Sciences) for the SDSU Seed Testing Lab. Differences are marked with arrows. PH gradient of 5-8, Agarose gel with Coomassie An Isoelectric Focusing Gel to compare Oxen and Walworth HRS. The gel was run and scanned by HyPure (PerkinElmer Life blue stain. Supplied by SDSU Seed Testing Lab. April 2nd, 2002

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE DIVISION BELTSVILLE, MARYLAND 20705

EXHIBIT (
(Wheat)

OBJECTIVE DESCRIPTION OF VARIETY WHEAT (Triticum spp.)

NAME OF APPLICANT(S)	FOR OFFICIAL USE ONLY
SOUTH DAKOTA AGRICULTURAL EXPERIMENT STATION	
ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code)	PVPO NUMBER
South Dakota State University	VARIETY NAME
Agricultural Hall 129 Brookings SD 57007	Walworth
51 OOK 11193 SD 57 007	
	TEMPORARY OR EXPERIMENTAL DESIGNATION
	SD3348
PLEASE READ ALL INSTRUCTIONS CAREFULLY: Place the appropriate number that describes the varietal che Place a zero in the first box (e.g or) when number is either 99 or less or 9 or less respectively. Date on a minimum of 100 plants. Comparative data should be determined from varieties entered in the same trial. Royal standard may be used to determine plant colors; designate system used: Please answer all questions for your variety; lack of response may delay progress of your apple. 1. KIND:	a for quantitative plant characters should be based if Horticultural Society or any recognized color
1=Common 2=Durum 3=Club 4=Other (SPECIFY).	
2. VERNALIZATION:	
1=Spring 2=Winter 3=Other (SPECIFY)	
3. COLEOPTILE ANTHOCYANIN:	The second secon
1=Absent 2=Present	
4. JUVENILE PLANT GROWTH:	
1=Prostrate 2=Semi-erect 3=Erect	
5. PLANT COLOR (boot stage):	
1 = Yellow-Green 2 = Green 3 = Blue-Green	
5. FLAG LEAF (boot stage):	
	= Not Twisted 2 = Twisted
. EAR EMERGENCE:	
O 4 Number of Days Earlier Than Chris	*
Number of Days Later Than Forge	*
. ANTHER COLOR:	
1 = YELLOW 2 = PURPLE	
PLANT HEIGHT (from soil to top of head, excluding awns):	
cm Taller Than	<u></u>
cm Shorter Than Chris	*

		= 0 0 = 0 0 e	💆 i i i i i i i i i i i i i i i i i i i
10. STEM:			Exhibit C (Wheat) Pa
A. ANTHOCYANIN			12
1=Absent	2=Present		and the second
B. WAXY BLOOM		·	
	2=Present	•	
<u></u>			<u>.</u>
C. HAIRINESS (last interi	node of rachis) !=Present	·	
	4 / 1		•
D. INTERNODE (SPECIF	YNUMBER) 4 (includin	g peduncle)	
1=Hollow 2	=Semi-solid 3=Solid		
E. PEDUNCLE			·
2 1=Absent 2=	=Present		
er er g eren gan geren. Er er er er er			
40 cm Length		·	· ·
11. HEAD (at Maturity):			
A. DENSITY	· ·		
3 1=Lax 2=Mi	ddense 3= Dense	en e	
B. SHAPE			and the state of the Maria Constitution of the state of t
	2= Strap 3 = Clavate	4 = Other (SPECIFY)	
<u> </u>		· · · · · · · · · · · · · · · · · · ·	
C. CURVATURE 1 = Erect 2 = 1			
2	Inclined 3 = Recurved		
D. AWNEDNESS		•	
1 = Awnless 2	= Apically Awnletted 3=	Awnletted 4 = Awned	
2. GLUMES (at Maturity):			
A. COLOR			
1 = White 2 =	Tan 3 = Other (SPECIFY)	
B. SHOULDER	en e		
1 = Wanting 2	= Oblique 3 = Rounded	4 - 5	<u> </u>
الكا	J. Modified	4 = Square 5 = Elevated	6 = Apiculate
C. BEAK 1 = Obtuse 2 =			***
$\frac{1-\text{Obluse}}{3}$	Acute 3=Acuminate	•	
D. LENGTH			
1 = Short (ca. 7mm)	2 = Medium (ca. 8mm)	3 = Long (ca. 9mm)	
E. WIDTH		3 ()	
	n) 2 = Medium (ca. 3.5mm)	3 - Wild- (
the second of th	(-ii. 5:5iiiii)	3 = Wide (ca. 4mm)	
SEED: A. SHAPE		,	
$1 = \text{Ovate} \qquad 2 = 0$	val 3 = Elliptical		
	2 – Embticai		
B. CHEEK			
1=Rounded 2=A	Ingular		
C. BRUSH	a. S		
2 1=Short 2=Med	ium 3=Long	1 = Not Collared	2 Collo-od
D. CREASE	-	1 = Not Collared	2 = Collared
I = Width 60% or les	s of Kernal		
2 = Width 80% or less	s of Kernel	2 1 = Depth 20% or lo	ess of Kernel
3 = Width Nearly as V	Vide as Kernel	2 = Depth 35% or le 3 = Depth 50% or le	ss of Kernel
		- ~ herr 20 \0 0L fe	os of treffici

, <u>* </u>	Walworth
3. SEED: (continued)	Exhibit C (Wheat) Pag
E. COLOR $1 = \text{White} \qquad 2 = \text{Amber} \qquad 3$	
[3]	= Red 4 = Other (SPECIFY)
F. TEXTURE 1 1=Hard 2=Soft	
L <u>+</u> 1	
G. PHENOL REACTION (see instructions):	
$1 = Ivory \qquad 2 = Fawn \qquad 3 = I$	ight Brown 4 = Dark Brown 5 = Black
. DISEASE: (0=Not Tested; 1=Susceptible;	2=Resistant; 3=Intermediate: 4=Tolerant)
	2=Resistant; 3=Intermediate; 4=Tolerant) THE SPECIFIC RACE OR STRAIN TESTED
Stem Rust (Puccinia graminis f. sp. tritici)	
2 field and seedling reaction	Leaf Rust (Puccinia recondita f. sp. tritici)
•	
Stripe Rust (Puccinia striiformis)	Loose Smut (Ustilago tritici)
Tan Spot (Pyrenophora tritici-repentis)	Flag Smut (Urocystis agropyri)
Halo Spot (Selenophoma donacis)	Common Pant (T'')
0	Common Bunt (Tilletia tritici or T. laevis)
Septoria nodorum (Glume Blotch)	
O (Glume Bioten)	Dwarf Bunt (Tilletia controversa)
G	0
Septoria avenae (Speckled Leaf Disease)	Karnal Bunt (Tilletia indica)
0	
Septoria tritici (Speckled Leaf Blotch)	Powdery Mildew (Erysiphe graminis f. sp. tritici)
	(Esystène graminis i. sp. traici)
Scab (Fusarium spp.)	[U]
3	"Snow Molds"
	- 0
"Black Point" (Kernel Smudge)	Common Root Rot (Fusarium, Cochliobolus and Bipolaris spp.)
0	0
Barley Yellow Dwarf Virus (BYDV)	Rhizoctonia Root Rot (Rhizoctonia solani)
0	0
Soilborne Mosaic Virus (SBMV)	
0	Black Chaff (Xanthomonas campestris pv. translucens)
Wheat Yellow (Spindle Streak) Mosaic Virus	
0	Bacterial Leaf Blight (Pseudomonas syringae pv. syringae)
Wheat Streak Mosaic Virus (WSMV)	Other (SPECIFY)
Other (SPECIFY)	Other (SPECIFY)
Other (SPECIFY)	
Other (SPECIEV)	
Other (SPECIFY)	Other (SPECIFY)

15.	INSECT:	(0=Not Tested;	1=Susceptible;	2=Resistant;	3=Intermediate;	4=Tolerant)	Exhibit C (Wheat) P	R
	1	:	PLEASE	SPECIFY BIOT	TYPE (where needed)		
	Hessian I	ly (Mayetiola destri	uctor)	Ot	her (SPECIFY)			
	Stem Saw	fly (Cephus spp.)		Oti	her (SPECIFY)			
	Cereal Lea	af Beetle <i>(Oulema n</i>	- - •	Ott	er (SPECIFY)			
	Russian A	phid <i>(Diuraphis no</i>	-	о н Г	er (SPECIFY)			
	Greenbug	(Schizaphis graminu	(m)	Othe	er (SPECIFY)			
	Aphids 0			Othe	or (SPECIFY)			,
A	DDITTONAL	INFORMATION	NT ANTAL TERMS			<u> </u>		

EXHIBIT D. Walworth (SD3348) Additional Description of the Variety

The following additional descriptive information is presented:

- Release notice of Walworth
- Table 2. South Dakota performance data.
- Table 3. Uniform Regional Spring Wheat performance data.
- Table 4. 2000 Wheat Quality Council data.



200200108

College of Agriculture and Biological Sciences

Agricultural Experiment Station

Office of the Director

Box 2207, Ag Hall 129 SDSU Brookings, SD 57007-0291 Phone 605-688-4149 FAX 605-688-6065

DATE:

July 10, 2001

TO:

Agricultural Experiment Station Directors

North Central Region and Great Plains

FROM:

Kevin D. Kephart, Director

Agricultural Experiment Station

SUBJECT:

Release of Cultivars

The South Dakota Agricultural Experiment Station announces the release of the following cultivars:

- 1) SDR20 Sunflower Fertility Restorer Line
- 2) SD3348 Hard Red Spring Wheat Proposed name 'Walworth'; PVP recommended.

The release date is March 1, 2001.

The South Dakota Agricultural Experiment Station also announces the following increases with intent to release:

SD92-1233T & Hendricks RR variety Soybean (intended for release in 2002) SD96-702 Soybean (intended for release in 2002) SD3367 Hard Red Spring Wheat (intended for release in 2002) SD97525 Oat (intended for release in 2002) SD97839 Oat (intended for release in 2002)

Enclosed are descriptions of the new releases. Complete yield and agronomic data are available on request from the Plant Science Department.

Seed is available through the Foundation Seed Stocks Division, Department of Plant Science, South Dakota State University, Brookings, SD 57007 (605-688-5418) FAX (605-688-6633) E-mail: jack_ingemansen@sdstate.edu

ph

Enclosures

cc: Cultivar Release/Variety Recommendation Committee Plant Breeders

Creating Opportunities for a Lifetime

Release of 'Walworth' Hard Red Spring Wheat

Walworth was developed by the South Dakota Agricultural Experiment Station and tested under the experimental designation of SD3348. It is an early, semidwarf hard red spring wheat from the cross Shield/Butte 86//Oxen. The name Walworth was selected to recognize support for the SDSU spring wheat breeding program by the Walworth County Crop Improvement Association with special tribute to Donald Giese. Giese has been a cooperator with the spring wheat project for over 30 years. It is anticipated that Walworth will be submitted for cultivar protection under the United States Plant Variety Protection Act with the certification option.

The most significant features of Walworth are high grain yield, rapid grain fill, good bread-making characteristics, and an intermediate level of scab resistance. It has been in South Dakota yield trials since 1997, in regional trials 1998-2000, and in the Wheat Quality Council trial in 2000. In comparison to 'Oxen', Walworth is 2 bushels per acre higher in grain yield, 1 day early heading, 1 inch taller, 1 pound per bushel higher in test weight, and has the same grain protein content. Walworth appears to have a rapid grain fill and usually reaches maturity earlier than the heading date would indicate. The straw strength is less than that of Oxen, similar to 'Russ'. Walworth threshes easily (similar to Oxen).

Walworth is resistant to the prevalent races of stem rust and moderately resistant to the prevalent races of leaf rust. Walworth is intermediate in scab resistance, similar to 'Ingot', but less than 'Alsen'.

The protein content of Walworth is equal to Russ and Oxen. The dough from Walworth has strong mixing and good baking properties similar to that from Oxen. The Wheat Quality Council data indicated that Walworth was equal to or greater than 'Grandin' for all characteristics except bake absorption, for which it was lower than Grandin.

Table 2. South Dakota performance data, 2000

Entry Name					Yie	ld (bu/a))				TW	Heading	Heigh	Scab
:		RK G	RO W	AT RE	D HIG	3 SE	L W	R DA	Y AUF	R Averag	e (lb/bu)) (days	· =	
33 SD3576	3 4	9.6 5	4.5 4	2.0 46	.8 24.	3 56	.1 32	.2 48	3.1 48.9	9 44.	7 59.3	167.	0 78.	2 56.0
10 SD3367	4	6.9 5	9.7 4	8.3 49	.8 21.	3 49	.9 29	.4 46	.9 50.0	0 44.	7 59.0	166.	2 78.	4 44.7
34 SD3586		4.2 5	3.3 4	1.6 53	.8 22.	1 54.	4 27	.4 42	.0 45.7	7 42.	7 59.3	167.	0 77.	3 42.3
20 SD3540	4	7.6 5	1.9 4	0.9 45	8 22.	3 44.	9 35	.5 41	.9 50.0	42.	3 58.2	167.0	78.9	39.3
12 SD3506	4	4.9 5	2.2 4	5.1 53.	3 18.	2 54.	6 22	.9 38	.3 50.0	42.	2 60.8	169.0	87.2	43.7
5 OXEN	4(3.4 4	5.8 4	1.1 46.	9 20.	4 56.	8 27	5 47	.1 45.2	41.9	57.8	167.7	77.5	50.7
24 SD3546	4	1.7 4	8.3 4	5.1 45,	2 19.	6 53,	0 39.	0 38	.5 46.3	41.8	59.4	167.3	84.7	32.3
13 SD3522	4	5.9 5	0.4 4:	3.5 47.	9 17.4	4 50.	8 30.	3 40.	.5 45.2	41.3	58.3	166.8	83.2	35.0
4 RUSS	•••••	3.8 4	1.2 42	2.9 48.	0 20.8	3 49.	1 34.	9 35.	.2 49.5	41.3	57.6	168.3	83.2	43.3
22 SD3543	44	1.6 4	7.8 40).1 51.	6 22.0	9 46.	3 37.	0 35.	3 46.3	41.2	58.2	167.7	84.9	33.3
35 SD3587	45	5.5 50	0.7 42	2.2 50.0	0 23.	46.9	9 25.	7 41.	8 44.6	41.2	58.4	167.9	79.7	44.7
18 SD3480	43	3.3 4	5.0 41	.3 47.4	4 17.4	51.8	3 31.	8 44.	0 44.6	40.7	57.9	168.6	85.9	41.7
17 SD3478	43	.5 46	3.9 42	8 47.6	3 19.5	53.6	32.	6 34.	7 43.6	40.5	58.9	168.5	92.9	37.0
19 SD3533	46	.1 49	0.0 42	.4 43.8	3 18.5	49.4	32.	9 36.	8 45.2	40,5	59.2	166.3	84.5	40.0
9 SD3348	46	.5 49	.9 39	.3 45.4	19.5	48.4	26.	7 39.	7 47.9	40.4	58.3	166.8	80.0	
6 FORGE	44	.2 51	.3 39	.2 51.4	20.5	41.9	30.	3 40.	1 43.0	40.2	56.7	165.5	80.9	43.0
11 SD3496	. 47	.4 52	4 41	.9 50.1	15.8	42.0	26.6	37.4	4 46.8	40.0	58.0	166.0	80.5	
36 SD3596	37	.9 45	.1 43	.4 46.5	21.9	51.3	28.3	35.6	6 47.9	39.8	58.4	170.9	89.3	44.7
7 INGOT	44	.9 43	.0 43	.4 47.2	20.8	47.7	28.8	37.4	4 42.5	39.5	60.1	165.8	86,5	33.3
31 SD3570	40	1 49	.3 47	2 47.2	15.9	54.1	23.6	29.4	47.3	39.4	58.5	170.0	93.2	56.0
15 SD3475	46	5 48	.1 42	.6 48.6	15.4	41.3	28.1	32.8	50.6	39.3	59.2	167.4	86.2	46.0
26 SD3553	40.	0 48	4 41	3 45.9	21.2	47.9	26.0	39.2	43.6	39.3	58.1	167.0	89.2	47.0
30 SD3569	43.	9 44	6 42.	9 42.3	18.6	48.4	28.8	35.9	46.8	39.1	59.4	167.7	93.9	48.0
2 BUTTE 8	6 44.	0 43	0 41	2 45.1	20.3	44.0	25.4	38.6	48.4	38.9	57.5	167.7	83.2	41.0
14 SD3411	43.	2 50	3 37.	9 45.5	21.0	45.9	29.4	32.0	44.6	38.9	56.1	167.2	77.7	39.7
28 SD3561	40.	5 48.	9 42.	8 49.4	18.2	46.1	29.4	30.7	43.6	38,8	57,9	167.2	81.4	49.3
29 SD3562	42.	2 46.	3 39.	7 44.6	24.4	46.2	30.9	28,3	46.8	38.8	59.5	167.7	78.9	40.7
23 SD3544	43.	1 41.	0 41.	4 46,6	15.4	46,6	32.3	34.9	43.6	38.3	58.5	170.1	82.8	38.3
32 SD3574	42.	9 45.	6 41.	5 38.7	19.1	52.5	26.0	32.7	45.2	38.2	55.5	167.3	82.2	55.7
21 SD3541	41.3	3 43.	4 41.0	44.9	17.3	48.5	27.9	37.7	41.4	38.2	58.6	168.7	88.8	36.0
27 SD3557	39.6	5 51.	0 36.0	42.9	17.1	44.3	25.6	40.2	43.0	37.7	56,3	165,6	78.7	34.0
8 EMBER	41.3	51.	36.	1 42.2	21,7	47.1	30.5	25.2	42.5	37.6	56,6	167.9	79.0	45.3
25 SD3549	38,0	42.	1 41.0	41.3	16.8	47.6	33.8	31.2	44.6	37.4	57.7	169.5	80.4	41.0
16 SD3518	40.7	47.	7 38.7	43.4	15.2	45.8	27.3	30.8	41.4	36.8	58.5	169.7	80.4	37.0
3 2375	39.2	38.6	37.5	37.6	19.0	41.3	28.0	23,4	39,3	33.8	58.2	168.5	77.4	36.7
1 CHRIS	31.1	22.9	27.1	29.4	12.9	33,3	24.1	13.0	26.4	24.4	55.3	171.3	96.8	40.3
Average	43.21	47.35	41.18	45.95	19.30	48.04	29.35	36.04	45.05	39.50	58.20	167.80	83.46	41.78
CV %	5.8	8.4	6.3	8.7	16.3	7.7	23.8	13.8	7.1	8.3			-	
LSD (.05)	4.1	5.6	4.2	6.5	6.4	6	9.3	8.1	5.2	2.2				

BRK=Brookings

GRO=Groton

3110-0101011

WAT=Watertown

RED=Redfield

HIG=Highmore

SEL≃Selby

WR=West river

DAY=Day county

AUR=Aurora

. .

Table 3. ALL LOCATION MEANS FOR UNIFORM REGIONAL HRSW NURSERY 2000

SORTED BY Y	IELD, D	ESCEND:	ING		· 				
VARIETY OR Shattering*	YIELD	TWT	HD	HT	LD	STEMRUST*	LEAFRUST*	DS*	
STATE NO.	BU/AC	LB/B	J DAY	S CM					
NO. LOCS:	17	16	14	17	7	1	1 	1 ======	1
SD3348	60.8	59.5	22	90	2.8		5MR	33	02
N96-0144	60.6		25	83	1.9		TR	28	TR
SD3367	60.6	60.5	22	87	1.9		TR	28	04
MN97803	58.9	59.7	23	85	1.9		TMR	33	01
MN97448	58.2	60.7	24	83	2.1		10MS	28	00
SD3496	58.1	60.2		90	1.9		5MR	30	01
ND726	58.1	62.0	22	9.7	3.0		TMS	25	TR
N97-0090	58.0	59.9	25	78	1.1		5MR	28	TR
VERDE	57.9	58.9	26	84	1.5		10MS	23	TR
N96-2444	57.8	60.3	24	98	1.7	TS	10MS	28	00
ND729	57.8	61.2	24	102	2.3		TR	28	01
SD3522	57.6	60.0	22 .	93	2.2	5S	TMR	33	05
FA998-743	5713	60.9	24	91	2.6		10MS	25	2-3
MN95229	57.1		23	82	1.6	-	10MS	30	TR
SD3506	57.1	61.3	24	95	2.1		TR	25	00
9850191-60	56.6	59.3	25	94	2.5		TR	35	00
98T379	56.4	58.8	29	89	1.8		10MS	38	00
ND721	56.1		24	94	1.9	÷	5R	30	01
ND709-9	56.0		24	91	1.3		TR	40	01
KEEŅE	55.8		25	104	2.2		TR	28	TR
BW259	55.2	59.4	.24	96	2.3		20S	45	01
SLW97606	55.1	61.4	26	84	0.6	TS	208	30	00
и99-0010	55.0	60.1	23	79	2.3		10MS	43	00 00
98T311	54.8	58.6	27	90	1.6		20S	25	
2375	54.1	60.0	24	88	3.1	4	40S	55 38	01 TR
MN97073	53.8	59.8	23	78	1.2		5MR .		1 K
WA007839	53.6	58.4	23	81	2.2		30S	38 20	TR
-ND724	53.5	59.3	25	98	2.5		TMR	40	00
WA7859	52.5	57.8	24	96	2.5		20S	33	00
98S0191-22	51.7	59.3	23	90	1.6		TR	55 68	00
ID0560	51.3	55.2	27	84	1.4		40S	40	00
BW270	50.8	60.0	25	100	3.0		TMR 30S	48	TR
CHRIS	43.1	58.2	26	105	5.2	EMC C	50S	80	TR
MARQUIS	38.5 ======	57.7 ======	27 	109	4.3 =====	5MS-S ========		-	======= 11/
MEANS:	55.3	59.7	24	91	2.2		=# = ========		
TESTS	YIELD	TWT	HD	HT	LD		=======================================	======	========
F-test:	11.5	15.6	34.3	77.2	5.8				
LSD:	3.7	0.9	0.8	2.5	1.0				*.
CV:	9.9	2.2	4.5	4.2	43.9				

^{*} Stemrust=St. Paul; Leafrust=Minot; DS and Shattering=Prosper

(a) Summary of Kernel Characteristics

The overall quality of wheat harvested at Brookings (B), Casselton (C), and Crookston (K) was generally sound as evidenced by average test weight of 61.7 lb/bu (+/- 1.6) and falling number of 393 sec (+/- 30). Wheat harvested at Minot (M) had an average test weight of 55.0 lb/bu (+/- 3.1) and falling number of 190 sec (+/- 96). Four of the six samples harvested at Minot were discarded because of low falling number as a result of sprout damage. Kernel and flour characteristics are summarized as follows:

			Kernel					Gind					
			Size-			Kes		Wheat	VA II	Principal Company of the	Falling		Vit
Entr		TW.	Lo		Moist		Weight	Moist	Pro	Ash		n Hard Ness	
10		Ab/bu	70	4ndex 74.5	11.1	2.66	32.8	% 9.8	14% 15.6	mb -⁄- 1.70	382	88.9	90.5
	GRANDIN BD2677	61.3 59.7	78 68	62.8	11.1	2.52	32.8	9.3	14.7	1.64	421	66.5	89.1
	BR3677	61.0	68	62.2	11.1	2.57	33.2	9.4	13.3	1.55	274	63.7	6.8
	COI955W SD3348	63.0	80	65.7	12.6	2.61	33.6	9.4	14.4	1.54	416	78.8	84.6
		63.0	88	63.7	10.6	2.75	35.3	9.3	15.1	1.65	422	92.2	85.1
	SD3367	61.8	83	71.3	10.4	2.66	33.1	9.2	15.1	1.57	416	89.6	93.1
	GRANDIN	62.0	74	72.5	11.3	2.45	29.0	10.1	12.7	1.71	387	90.3	74.5
	GRANDIN ND722	63.1	61	79.3	11.6	2.49	28.8	10.1	14.3	1.87	410	104.8	91.6
	BR3677	59.7	47	.66.1	11.8	2.30	28.0	9.8	14.3	1.94	403	78.0	91.4
	COI955W	61.5	47	73.5	11.0	2.29	28.2	9.5	12.7	1.72	425	72.9	9.2
	SD3348	61.7	60	69.5	11.0	2.28	28.0	9.9	14.4	1.73	371	90.8	83.7
	SD3346	63.3	84	62.0	10.7	2.67	32.8	9.8	14.4	1.69	401	94.8	89.5
	GRANDIN	62.4	76	77.9	10.7	2.52	29.5	9.7	14.4	1.76	381	99.7	85.9
	MN95002	64.6	59	67.2	10.6	2.35	29.0	9.7	14.1	1.77	408	79.6	92.0
	FA-998-743	64.7	74	65.5	10.8	2.49	29.5	10.1	12.6	1.64	381	96.3	42.6
	FA-997-703	63.6	61	72.6	10.9	2.51	31.6	10.4	13.2	1.84	418	93.9	89.9
•	GRANDIN	62.3	90	72.1	13.1	2.90	36.9	10.4	15.5	1.67	386	112.0	83.6
	BR3677	58.0	73	50.7	14.6	2.61	33.9	11.3	15.4	1.86	370	71.3	41.2
	SD3348	59.9	80	54.4	14.1	2.56	32.5	12.0	15.7	1.52	385	107.7	14.4
	GRANDIN	60.7	94	62.3	13.7	2.90	37.4	11.6	16.1	1.68	399	111.7	19.6
	MN95002	60.7	84	54.1	14.2	2.63	33.3	12.3	15.7	1.49	396	108.0	14.7
	MN95229	61.7	88	61.9	13.8	2.78	35.4	11.6	15.3	1.58	395	113.2	11.7
	FA-998-743	60.9	84	53.3	13.6	2.62	32.1	11.9	14.6	1.51	381	107.7	3.3
	FA-997-703	60.6	75	63.9	13.7	2.67	35.3	11.6	15.4	1.71	416	106.4	39.9
	N96-2444	61.4	88	57.7	13.6	2.67	34.2	11.6	15.6	1.72	392	103.6	4.3
	GRANDIN*	53.6		•							141		
	ND722*	59.2									191		
	COI955W*	55.5									86		
	SD3348	55.5	44	61.7	10.4	2.11	24.7	10.31	15.2	1.42	241	73.4	8.6
	GRANDIN*	49.9		-				·			128		
	N96-2444	56.2	59	57.8	10.3	2.17	26	9.58	14.8	1.48	352	72.6	17.9

• Samples were not further tested because of low falling number.

(b) Summary of Flour Characteristics

					all safe	armogra	oh Ghar	acteristi	Sec	
		Flour	Flour	Flour	: www.ater.	Arrival	Peak	Dough		Break
Enti	$R_{\rm c}(a_{\rm B}) = R_{\rm c}(a_{\rm B}) + R_{\rm c}(a_{\rm B}) = 0$	Moist	Proteins	Ash	Absorption	i Time	Time	Stability	€MTII	Down
ID.	Entry	× 76	#14% mb	14% mb	. 14% mb#	emine.	tmin.	min	- bu	min s
B-1	GRANDIN	13.1	14.8	0.575	61.3	3.1	7.6	11.4	23	13.8
B-4	BR3677	13.1	14.3	0.549	59.7	3.3	9.3	16.6	, 11	20.0
B-5	COI955W	13.0	12.3	0.542	57.5	2.8	7.2	12.6	21	14.7
B-6	SD3348	12.9	13.4	0.475	57.6	2.6	8.6	16.0	22	16.4
B-7	SD3367	12.4	14.3	0.524	61.8	3.5	5.3	7.4	23	11.6
B-8	GRANDIN	12.6	14.3	0.559	61.8	2.5	6.0	10.8	23	12.0
C-1	GRANDIN	13.7	12.1	0.552	60.6	2.2	5.2	9.3	24	10.9
C-3	ND722	13.6	13.5	0.532	65.0	3.6	6.2	8.6	25	12.1
C-4	BR3677	13.2	13.7	0.588	60.1	3.9	8.6	13.8	17	18.0
C-5	COI955W	12.9	12.3	0.554	58.0	1.5	5.7	14.8	17	14.1
C-6	SD3348	13.0	13.4	0.481	58.9	2.3	7.4	12.8	21	13.5
C-7	SD3367	13.4	13.5	0.526	63.3	3.2	5.9	8.4	20	13.1
C-8	GRANDIN	13.2	13.6	0.555	62.8	3.1	6.9	9.4	26	12.6
C-9	MN95002	12.7	13.4	0.502	61.9	3.5	6.4	8.8	21	12.8
C-11	FA-998-743	13.3	11.8	0.508	60.1	2.8	5.3	7.3	31	10.1
C-12	FA-997-703	12.2	12.5	0.636	62.3	2.4	3.7	4.2	39	7.2
K-1	GRANDIN	13.4	14.6	0.600	64.6	3.4	7.1	8.6	32	11.8
K-4	BR3677	13.3	14.5	0.650	61.2	3.3	10.9	15.8	21	18.2
K-6	SD3348	13.8	14.6	0.510	60.0	3.0	8.6	17.0	10	20.0
K-8	GRANDIN	13.4	15.0	0.531	64.1	3.2	7.9	13.9	15	17.5
K-9	MN95002	12.8	14.8	0.503	64.6	5.6	8.6	9.1	16	15.5
K-10	MN95229	13.3	14.4	0.584	64.1	2.8	7.6	9.8	27	12.8
K-11	FA-998-743	12.8	13.7	0.559	61.9	2.7	8.6	10.3	30	13.0
K-12	FA-997-703	12.2	14.4	0.652	63.7	3.3	5.0	7.8	21	12.1
K-13	N96-2444	12.6	14.8	0.546	63.8	3.9	9,6	13.3	24	15.5
M-6	SD3348	13.7	14.1	0.466	58.5	2.4	7.4	17.3	10	18.0
M-13	N96-2444	13.7	14.1	0.476	59.1	3.5	8.2	13.5	21	13.8